



Top features

- Self-serve heated Multi Deck display unit
- Innovative airflow technology: no hot or cold spots
- Boosts impulse sales

Standard characteristics

- 24" wide - 5 level display
- Product temperature maintained at 149-158°F
- Ideal for chicken, wraps, snacks, soups etc.
- Upright design saves space
- Total display capacity of 14.032 ft²
- Footprint of 5.16 ft²
- Safety lighting on each level
- Shatter-resistant clear side glass for optimum safety and insulation
- Saves up to 20% on energy by air-curtain technology on each shelf
- Safe holding temperature for up to four hours
- Angled shelves provide optimum product visibility
- Illuminated replaceable signage sign at top and price strips on each shelf
- Front bumpers to protect from shopping carts
- Solid back as standard
- 98% recyclable (environmentally friendly)
- Plug-and-play

Accessories

- Customer-side temperature indicator (included)
- Lower skirts covering wheels (included)
- Cross-selling drawer
- Shelf grids

Optional

- Doors at rear (pass through)



Signage



Rear doors



Cross-selling drawer



Keeps hot food above 149°F

Grab and Go Merchandisers



Multi Deck 24 5 level

Placing impulse food products near checkouts has proven to be a successful strategy in today's grab-and-go market. With the Fri-Jado Multi Deck, your customers can pick up delicious, hot, pre-packaged snacks and meal solutions practically anywhere in the store.

Hot air is blown from the front of the shelf and circulates within the shelf surface resulting in optimum air circulation around the hot product.

Large glazed walls give a 180-degree view of the products. The appealing design gives outstanding product presentation which is sure to boost impulse sales.

In-store impulse-generating merchandiser



Multi Deck 24 5 level




Item	Description
1	Power cable 60"

Dimensions

Width	23 5/8"
Depth	31 1/2"
Height	77 5/8"

Technical data

Net weight	461 lbs
Gross weight	542 lbs
Voltage	208 V
Phase	1~
Frequency	60 Hz
Power	3.6 kw
Amps	17.1 A
NEMA	6-30P





Grab and Go Merchandisers

Top features

- Self-serve heated Multi Deck display unit
- Innovative airflow technology: no hot or cold spots
- Boosts impulse sales

Standard characteristics

- 40" wide - 5 level display
- Product temperature maintained at 149-158°F
- Ideal for chicken, wraps, snacks, soups etc.
- Upright design saves space
- Total display capacity of 23.71 ft²
- Footprint of 8.6 ft²
- Safety lighting on each level
- Shatter-resistant clear side glass for optimum safety and insulation
- Saves up to 20% on energy by air-curtain technology on each shelf
- Safe holding temperature for up to four hours
- Angled shelves provide optimum product visibility
- Illuminated changeable sign at top and price strips on each shelf
- Front bumpers to protect from shopping carts
- Solid back as standard
- 98% recyclable (environmentally friendly)
- Plug-and-play

Accessories

- Customer-side temperature indicator (included)
- Lower skirts covering wheels (included)
- Cross-selling drawer

Optional

- Doors at rear (pass through)



Multi Deck 40 5 level

Placing impulse food products near checkouts has proven to be a successful strategy in today's grab-and-go market. With the Fri-Jado Multi Deck, your customers can pick up delicious, hot, pre-packaged snacks and meal solutions practically anywhere in the store.

Hot air is blown from the front of the shelf and circulates within the shelf surface resulting in optimum air circulation around the hot product.

Large glazed walls give a 180-degree view of the products. The appealing design gives outstanding product presentation which is sure to boost impulse sales.



Signage



Rear doors



Cross-selling drawer



Keeps hot food above 149°F

In-store impulse-generating merchandiser



Multi Deck 40 5 level


Item	Description
1	Power cable 60"

Dimensions

Width	39 3/8"
Depth	31 1/2"
Height	77 5/8"

Technical data

Net weight	604 lbs
Gross weight	710 lbs
Voltage	208 V
Phase	1~ 3~
Frequency	60 Hz
Power	5.3 kw
Amps	45 A 15 A
NEMA	15-15P





Grab and Go Merchandisers

Top features

- Self-serve heated Multi Deck display unit
- Innovative airflow technology: no hot or cold spots
- Boosts impulse sales

Standard characteristics

- 48" wide - 5 level display
- Product temperature maintained at 149-158°F
- Ideal for chicken, wraps, snacks, soups etc.
- Upright design saves space
- Total display capacity of 28.548 ft²
- Footprint of 10.32 ft²
- Safety lighting on each level
- Shatter-resistant clear side glass for optimum safety and insulation
- Saves up to 20% on energy by air-curtain technology on each shelf
- Safe holding temperature for up to four hours
- Angled shelves provide optimum product visibility
- Illuminated changeable sign at top and price strips on each shelf
- Front bumpers to protect from shopping carts
- Solid back as standard
- 98% recyclable (environmentally friendly)
- Plug-and-play

Accessories

- Customer-side temperature indicator (included)
- Lower skirts covering wheels (included)
- Cross-selling drawer

Optional

- Doors at rear (pass through)



Multi Deck 48 5 level

Placing impulse food products near checkouts has proven to be a successful strategy in today's grab-and-go market. With the Fri-Jado Multi Deck, your customers can pick up delicious, hot, pre-packaged snacks and meal solutions practically anywhere in the store.

Hot air is blown from the front of the shelf and circulates within the shelf surface resulting in optimum air circulation around the hot product.

Large glazed walls give a 180-degree view of the products. The appealing design gives outstanding product presentation which is sure to boost impulse sales.



Signage



Rear doors






Cross-selling drawer



Keeps hot food above 149°F

In-store impulse-generating merchandiser





Multi Deck 48 5 level

Item	Description
1	Power cable 60"

Dimensions

Width	$47 \frac{1}{4}$ "
Depth	$31 \frac{1}{2}$ "
Height	$77 \frac{5}{8}$ "

Technical data

Net weight	661 lbs
Gross weight	778 lbs
Voltage	208 V
Phase	1~ 3~
Frequency	60 Hz
Power	6.5 kw
Amps	54.5 A 19.1 A
NEMA	15-30P



These are basic drawings.
For more detailed technical
information, please refer
to the installation manual
at www.frijado.com.



Fri-Jado Inc.
1401 Davey Road
Suite 100
Woodridge IL 60517
Toll free 877-374-5236
Fax 630-689-1424
e-mail us.info@frijado.com
www.frijado.com